Universidade de Aveiro Departamento de Electrónica, Telecomunicações e Informática

Mental and conceptual models



Human-Computer Interaction


Beatriz Sousa Santos 2023

Relevant issues:

- What are mental models?
- How do we construct them?
- What is known about them?
- What are they used for?
- What are conceptual models?
- Guidelines to obtain good conceptual models

- The conceptual model is the UI highest level
- The conceptual model is the conceptual framework in which the functionality is provided to the user
- To understand how to design a good conceptual model it is necessary to understand mental models
- A mental model (in a simple way) is the user's internal representation of the current conceptualization and understanding of the system
- A conceptual model is the designer's attempt to foster good mental models through UI aspects

- The user develops a **mental model** of how he/she thinks the system works
- And uses it to:
 - reason about the system
 - anticipate system behavior
 - explain why the system reacts as it does



https://www.interactiondesign.org/literature/book/theglossary-of-human-computerinteraction/mental-models

How do we create a mental model?

- Using the system
- Observing others using the system
- Reading documentation



and thus all these are important ways to train the user to use a system





Mental models allow:

- Make predictions
- Determine causes of observed events
- Determine adequate actions to produce the wanted changes
- Understand analogous devices

• ...

"What users believe they know about a UI strongly impacts how they use it. Mismatched mental models are common, especially with designs that try something new."

https://www.nngroup.com/articles/mental-models/

Example: remote controller of some projectors @ DETI

- This device has a different UI from the others I am used to (not complying with the consistency and standards heuristic)
- I will try to infer how to use it based on the mental models I have
- But it is ambiguous and it does not give prompt feedback (not complying with the visibility of the system status heuristic)
- Determining adequate actions to produce the wanted changes fails!



I press one button, nothing happens, I press the other ...

... low efficiency, low efficacy, low satisfaction

poor usability and UX



Which button shall I press?

Mental models:

- Are incomplete
- Are **unstable** (people easily forget the details)
- Are **not scientific** (mantain "supersticious" behaviours)
- **Don't have specific limits** (mistake similar devices and operations)

Often people do a lot of extra actions instead of planning, which would avoid those actions!

"We must give up finding elegant mental models, and instead learn how to understand the incomplete and confuse structures people have"

Donald Norman

Main guidelines to obtain a good conceptual model (that foster a good mental model)

• Make visible invisible parts and processes

• Give feedback



2 Minutes and 30 Seconds Remaining

 Use coherence (colors names, command syntax, dialog styles, information location on the screen, etc., etc.),
 File Edit Diew Special

Desktop metaphor -

• Use a metaphor (optional)

All this may help the user to understand better how the system works

	📕 System Disk		
5 items	232K in disk	167K available	System Disk
Empty Folder Sy	stem Folder	<u>ک</u> Disk Copy	Guided Tour
Font Mover	Fonts		
		다면	
SysVersion	Mul Folder		Ĩ

Metaphors


- Exploit existing mental models of the real world

Metaphors **can be misleading** since the "the essence of metaphor is understanding and experiencing one kind of thing in terms of another" (Lakoff and Johnson 1983)


- Which, by definition, makes a metaphor different from what it represents or points to

https://www.interaction-design.org/literature/book/theencyclopedia-of-human-computer-interaction-2nded/human-computer-interaction-brief-intro

Example: The Desktop metaphor:



Another example: the bulletin board (Trello)




https://trello.com/tour

Potential problems in using metaphors

- Incomplete metaphors may confound the user
- Risk of under-utilization of the system's capacities
- Less experienced users (e.g. children) seem to expect more "literal" metaphors
- Sophisticated users seem to expect more "magical" metaphors

Thus, the use of a metaphor should be carefully pondered ...





Examples of using metaphors

• In Apple's original desktop metaphor:


remove the diskette from the system ->

-> drag it to the recycling bin !! (unlike the real world...)

Navigation/locomotion in VR systems:

Magical metaphor -> "Teleportation"

Less magical (more literal) -> "physically" walking





Conceptual models - summary

- A conceptual model is a high-level description of a product in terms of:
 - what users can do with it
 - the concepts they need to understand how to interact with it
- Developing a conceptual model involves:
 - Understanding the problem space
 - Specifying how the proposed design will support users
- Conceptual models must foster good mental models
- Paradigms, visions, theories, models, and frameworks
 Provide ways of framing design and research

Main bibliography

- Alan Dix, Janet Finlay, Gregory Abowd, Russell Beale, *Human-Computer Interaction*, 3rd edition, Prentice Hall, 2004
- Jenny Preece and Helen Sharp, Interaction Design Beyond Human-Computer Interaction, 5th edition, John Wiley, 2019 (<u>http://www.id-book.com/chapter3_teaching.php</u>)
- John Carroll, Human Computer Interaction brief intro, *The Encyclopedia of Human-Computer Interaction*, 2nd edition https://www.interaction-2nd-ed/affective-computing
- Mental Models, *The Encyclopedia of Human-Computer Interaction,* 2nd edition, <u>https://www.interaction-design.org/literature/topics/mental-models</u> <u>https://www.interaction-design.org/literature/book/the-glossary-of-human-computer-interaction/mental-models</u>